

PERVASIVE DATA MANAGEMENT

INTRODUCTION

Prof. Fabio A. Schreiber
Dipartimento di Elettronica, Informazione e Bioingegneria
Politecnico di Milano



COURSE OUTLINE

- **GOAL**
 - To introduce students to advanced topics through a personal monographic study
- **TOPICS**
 - Pervasive Systems functionality and architectures
 - Distributed Data Management
 - Real-Time Databases
 - Main Memory Databases
 - Embedded Databases
 - Data Management in WSNs
 - Data Streams Management Systems
 - Mobility issues
 - Context modeling and Context-Aware Information tailoring

COURSE OUTLINE

- **TEACHING MODALITIES**

- Lectures and seminars (28 hrs), group homework research (max. 2 per group) and plenary class discussions of the results (10 hrs)

- **EXAM MODALITY**

- Evaluation of the homework and of its presentation or development of a small project on the course topics (about 50 man/hours)


- **LECTURERS**

- Fabio A. Schreiber
- Other researchers


- **COURSE WEB SITE**

- <http://home.deib.polimi.it/schreibe/Pervasive DM/index.htm>

COURSE IN THE CURRICULUM



INFORMATION MANAGEMENT TECHNOLOGIES



INTRODUCTION TO PERVASIVE SYSTEMS

PERVASIVE


PER – VADERE

THROUGH

TO GO


- Webster Dictionary
 - TO PERMEATE
 - TO BE DIFFUSED THROUGHOUT
- Devoto – Oli Dictionary (translated from Italian)
 - ABLE TO DIFFUSE IN DOMAINS AND ASPECTS WHICH WERE ONCE **ALIENS**
 - TO DIFFUSE IN ORDER TO **MODIFY AND CHARACTERIZE** THE ATMOSPHERE OR THE PHYSIOGNOMY OF A WHOLE DETERMINED AMBIENT

SYSTEM ARCHITECTURE DEVELOPMENT




Adapted from Cherniack, Franklin, Zdonik

THE TECHNOLOGY LIFE CURVE




Adapted from D. A. Norman

THE CUSTOMERS LIFE CURVE



Adapted from D. A. Norman

THE ARCHITECTURE OF A MODERN INFORMATION SYSTEM




THE NEW TECHNOLOGICAL ENVIRONMENT

EMBEDDED SYSTEMS



MOBILITY



SMALL DEVICES



CONTEXT AWARENESS

THE INTERNET OF THINGS

- **More objects are becoming embedded with sensors and gaining the ability to communicate.**
- **The resulting information networks promise to create new business models, improve business processes, and reduce costs and risks.**

**[M. Chui, M. Löffler, and R. Roberts,
McKinsey Quarterly 2010 No 2]**


McKinsey Quarterly



These networks churn out *huge volumes of data* that flow to computers for analysis.

When objects can both sense the environment and communicate, they become tools for *understanding complexity and responding to it swiftly*.

...these physical information systems are now beginning to be deployed, and some of them even work largely without human intervention.



PERVASIVE SYSTEMS

- ALLOW THE COMPUTER TO **VANISH INTO THE BACKGROUND**
- A FUNDAMENTAL CONSEQUENCE NOT ONLY OF TECHNOLOGY, BUT OF **HUMAN PSYCHOLOGY**
- ONLY WHEN THINGS DISAPPEAR (i.e. THE USER IS NO MORE AWARE OF THEIR PRESENCE) WE ARE FREED TO **USE THEM WITHOUT THINKING** AND TO FOCUS ON NEW GOALS
- A TYPICAL CAR HAS SOMETHING AS 20 ELECTRIC MOTORS AND 10 COMPUTERS ABOARD, BUT **WHO PERCEIVES THEM?**

Mark Weiser, 1991

PERVASIVE SYSTEMS

- “Pervasive computing is roughly the opposite of virtual reality. Where virtual reality puts **people inside a computer-generated world**, pervasive computing forces the **computer to live out there in the world with people.**”

Mark Weiser, 1991

PERVASIVE SYSTEMS

- **CELLULAR PHONES (VOICE)**
 - TEXT (SMS)
 - VIDEO
 - GPS LOCATOR
- **PERSONAL DIGITAL ASSISTANTS (COMPUTATION)**
 - GPS LOCATOR
 - ACCELEROMETER
- **DIGITAL WATCHES (TIME)**
 - HEARTBEAT MONITOR
 - TEMPERATURE
 - ATMOSPHERIC PRESSURE (ALTITUDE)
 - ODOMETER (TRAVELLED DISTANCE)
- **TRANSPORTATION PASSES**
- **CAR CONTROL AND DRIVER ASSISTANTS**
-

INTELLIGENT PERVASIVE SPACES

SOCIAL AND PHYSICAL SPACES WITH ENHANCED CAPABILITY THROUGH ICT FOR HUMANS TO INTERACT WITH THE BUILT ENVIRONMENT

Liu, 2008

- **SOCIAL AND PHYSICAL INTERACTION ENVIRONMENT**
- **AUTOMATICALLY COMPUTING AND DYNAMICALLY ADJUSTING TO THE SPACES TO SUPPORT DIFFERENT ACTIVITIES**
- **COMMUNICATING WITH OTHER SERVICE SYSTEMS (SECURITY, ACCESS CONTROL, LIFTS, PARKING, ...)**
- **SUSTAINABLE MANAGEMENT (ENERGY, WATER, WASTE DISPOSAL, POLLUTION, ...)**

PERVASIVE SYSTEMS

- **THE COMPUTER BECOMES PART OF THE INFRASTRUCTURE**
 - THE MIDDLEWARE OF A PERVASIVE SYSTEM HIDES THE HETEROGENEITY OF HUNDREDS OF DEVICES MAKING THEM TRANSPARENT TO THE APPLICATION
- **THE PERCEPTION OF THE ENVIRONMENT MAKES THE SYSTEM AUTONOMIC AND PROACTIVE**
 - CONTEXT-AWARE
 - REACTIVE
 - SELF-ADAPTING

PERVASIVE SYSTEMS COMPONENTS

APPLICATION DOMAINS



MIDDLEWARE AND SERVICES

PERVASIVE INFORMATION SYSTEM


ENABLING TECHNOLOGIES



DEVICES



TRANSMISSION



NETWORKING

PERVASIVE SYSTEMS ISSUES

- **APPLICATION DOMAINS**
 - INNOVATIVE APPLICATIONS
 - SOCIAL AND ECONOMIC ASPECTS AND MODELS
 - VIRTUAL AND IMMERSIVE SYSTEMS
- **MIDDLEWARE AND SERVICES**
 - ADAPTIVE, AUTONOMIC AND CONTEXT-AWARE COMPUTING
 - ENERGY EFFICIENT AND GREEN COMPUTING
 - HUMAN-COMPUTER INTERACTION
 - SERVICES AND AGENT TECHNOLOGIES
 - SOFTWARE ENGINEERING ASPECTS
 - SECURITY AND PRIVACY
- **ENABLING TECHNOLOGIES**
 - AD-HOC NETWORKS AND COMMUNICATION ARCHITECTURES
 - MOBILE/WIRELESS COMPUTING SYSTEMS
 - MULTIMODAL SENSING AND CONTEXT
 - POSITIONING AND TRACKING TECHNOLOGIES
 - SENSORS AND RFID
 - WEARABLE SYSTEMS


DESKTOP VS. PERVASIVE INFORMATION SYSTEMS

DESKTOP INFO SYS	PERVASIVE INFO SYS
<ul style="list-style-type: none">• PERSONAL COMPUTER (just another access device)	<ul style="list-style-type: none">• MULTIPLE ARTEFACTS
<ul style="list-style-type: none">• PERCEIVE SIMPLE USER INPUT	<ul style="list-style-type: none">• PERCEIVE ALSO CONTEXT INFORMATION
<ul style="list-style-type: none">• STATIONARY SERVICES	<ul style="list-style-type: none">• SUPPORT MOBILITY

DESKTOP VS. PERVASIVE INFORMATION SYSTEMS

	DESKTOP INFO SYS	PERVASIVE INFO SYS
USER	<ul style="list-style-type: none"> • COMMITTED • KNOWN • TRAINED <p><i>ROLE MODEL: OFFICE CLERK</i></p>	<ul style="list-style-type: none"> • OPPORTUNISTIC • UNKNOWN • UNTRAINED <p><i>ROLE MODEL: CITIZEN</i></p>
TASK	<ul style="list-style-type: none"> • SPECIFIC • FOCUSED ON UTILITY AND PRODUCTIVITY 	<ul style="list-style-type: none"> • GENERIC • FOCUSED ON SERVICE DELIVERY AND EXPERIENCE
MEDIUM	<ul style="list-style-type: none"> • LOCALISED / FIXED • HOMOGENEOUS • POINT AND CLICK PARADIGM 	<ul style="list-style-type: none"> • CONSTANT PRESENCE / NOMADIC / SPONTANEOUS, TEMPORARY P2P NETWORKING • HETEROGENEOUS • NATURAL INTERACTION & MULTIMODAL
SPACE	<ul style="list-style-type: none"> • CYBERNETIC 	<ul style="list-style-type: none"> • PHYSICAL
PRODUCT	<ul style="list-style-type: none"> • VIRTUAL 	<ul style="list-style-type: none"> • TANGIBLE AND VIRTUAL
TIME	<ul style="list-style-type: none"> • REACTIVE 	<ul style="list-style-type: none"> • PROACTIVE

DATA MANAGEMENT SYSTEMS FUNCTIONALITY




PERVASIVE DATA MANAGEMENT

- INSTANTANEOUS AND COMPLETE ACCESS TO **ANY INFORMATION AT ANYTIME AND ANYWHERE**
 - **HIGHLY DYNAMIC ENVIRONMENTS** WHERE BOTH DATA AND SOURCE AVAILABILITY VARY OVER LOCATION AND TIME
- **REVERSED PARADIGM** WITH RESPECT TO DISTRIBUTED DATABASES
 - NO MORE PASSIVE DB AND ACTIVE USERS
 - DEVICES ARE BOTH PRODUCERS AND CONSUMERS OF DATA
 - DATA OBJECTS STORED ON MOBILE DEVICES WHICH PROCESS THE INCOMING DATA WHILE LOOKING FOR INFORMATION OF INTEREST TO ITS USER

PERVASIVE DATA MANAGEMENT

DATA MANAGEMENT ISSUE	MOBILE COMPUTING PERVASIVE COMPUTING
APPLICATIONS	NEED TO ADAPT TO CHANGES IN SYSTEM CONTEXT
TRANSACTIONS	NEW MODELS TO CAPTURE MOBILITY
RECOVERY	<ul style="list-style-type: none"> • FREQUENT NETWORK PARTITIONING • VOLUNTARY SHUTDOWN IS NOT A FAILURE • NO FIXED SET OF ENTITIES ALWAYS AVAILABLE • MORE LOGGING • RECOVERY TECHNIQUES FROM HANDOFF DISCONNECTIONS
REPLICATION	<ul style="list-style-type: none"> • DIFFERENT CONSISTENCY CONSTRAINTS • NEW TECHNIQUES FOR CACHE UPDATE (FREQ. DISCONNECTIONS)
QUERY PROCESSING	<ul style="list-style-type: none"> • LOCATION DEPENDENT • DIFFERENT COST FACTORS • RESPONSES RETURNED TO DIFFERENT LOCATIONS • ADAPTIVE TECHNIQUES NEEDED
NAME RESOLUTION	NEW GLOBAL NAME STRATEGY (MOBILITY & DISCONNECT) NO GLOBAL CATALOG AND SCHEMA (USE OF ONTOLOGIES)

EMBEDDED DBMS FEATURES



EMBEDDED DBMS FUNCTIONALITY

FEATURES APPLICATION	REAL TIME	ACTIVE	MAIN MEMORY
PROCESS / DEVICE CONTROL	YES HARD / FIRM	YES	POSSIBLY
MOBILE / INTERNET APPLICATIONS	YES FIRM / SOFT	YES	POSSIBLY
SMART CARD APPLICATIONS	NO / SOFT	NO	YES

PERVASIVE DATA MANAGEMENT

MOBILITY

- **SPATIO-TEMPORAL VARIATIONS OF DATA AND DATA-SOURCES AVAILABILITY**
- **LACK OF GLOBAL CATALOG AND SCHEMA**
- **NO GUARANTEE OF RECONNECTION**
- **NO GUARANTEE OF COLLABORATION**

BIBLIOGRAPHICAL REFERENCES 1

- B. Babcock et Al. – *Models and Issues in Data Stream Systems* – Proc. ACM PODS, pp. 1-16, Madison 2002
- Y. Bai, H. Thakkar, C. Luo, H. Wang, C. Zaniolo – *A Data Stream Language and System Designed for Power and Extensibility* – Proc. of the ACM 15th Conference on Information and Knowledge Management (CIKM'06), 2006
- G. Bernard et Al. – *Mobile Databases: a Report on Open Issues and Research Directions* - ACM SIGMOD Record, (2004)
<http://lpd.epfl.ch/site/publications/>
- B. Chandramouli et Al. – *Data Stream Management Systems for Computational Finance* – IEEE Computer, Vol. 43, n. 12, 2010
- M. Cherniack, M. Franklin, S. Zdonik – *Data Management for Pervasive Computing* – 27th VLDB Conference tutorial, Roma, Sept. 2001
- C.A. da Costa, A. Corrêa Yamin, C.F.R. Geyer – *Toward a General Software Infrastructure for Ubiquitous Computing* – Pervasive Computing, Vol. 7, No. 1, 2008
- L. Golab and M. Tamer Özsu – *Issues in Data Stream Management* – SIGMOD Record, Vol. 32, No. 2, June 2003
- J. Hyde – *Data in Flight* – Communications of ACM, Vol. 53, n.1, Jan 2010
- S. Ilarri, E. Mena, A. Illarramendi – *Location-Dependent Query Processing: Where We Are and Where We Are Heading* – ACM Computing Surveys, Vol. 42, n. 3, 2010

BIBLIOGRAPHICAL REFERENCES 2

- **P. E. Kourouthanassis, G. M. Giaglis – *A Design Theory for Pervasive Information Systems* – Proc. Int. Workshop on Ubiquitous Computing (ICEIS 2006), pp. 62-70, 2006**
- **Y. Law, H. Wang, C. Zaniolo – *Query Languages and Data Models for Database Sequences and Data Streams* – Proc. 30° VLDB Conf., pp. 492-503, 2004**
- **K. Liu – *Pervasive informatics in intelligent spaces for living and working* – IEEE Int. Conf. On ServiceOperations and Logistics, and Informatics, 1, pp. XVIII-XIX, 2008**
- **D. A. Norman – *The Invisible Computer* – MIT Press, Cambridge 1998**
- **M. A. Olson - *Selecting and Implementing an Embedded Database System* - IEEE Computer, vol. 33, n. 9, pp. 27-34, (2000)**
- **F. Perich, A. Joshi, T. Finin, Y. Yesha – *On Data Management in Pervasive Computer Environments* – IEEE TKDE, Vol. 16, No. 5, pp.621-633, 2004**
- **D. Pfoser, C.S. Jensen, Y. Theodoridis – *Novel Approaches to the Indexing of Mobile Objects trajectories* – Proc VLDB 2000, pp. 395-406**

BIBLIOGRAPHICAL REFERENCES 3

- F.A. Schreiber, R. Camplani, M. Fortunato, M. Marelli, F. Pacifici - [PERLA: a Data Language for Pervasive Systems](#)- Proc. of the Sixth Annual IEEE International Conference on Pervasive Computing and Communications (PerCom 2008), Hong Kong, pp. 282-287, 2008.
- N. Trigoni, a. Guitton, A. Skordylis – *Querying of Sensor Data* – in J. Gama, M. M. Gaber – *Learning from Data Streams*, Springer, 2007
- M. Weiser – *The Computer for the 21th Century* – Scientific American, Vol. 265, No. 3, pp. 94-104, 1991
- O. Wolfson – *Moving Objects Information Management: The Database Challenge* – http://www.cs.uic.edu/%7Ewolfson/mobile_ps/ngits02.pdf
- W. Xue, Q. Luo, L. M. Ni – *Systems Support for Pervasive Query Processing* – Proc. 25° Int. Conf. on Distributed Computing Systems (ICSCS05), IEEE, 2005